

OCTOTERRA FABRICATION GUIDE

OctoTerra is a handmade decorative panelling product made from coconut shell, palm wood and deciduous tree branches. Due to the unique nature of this product, we cannot guarantee exact matching from panel to panel.

CONDITIONING

Allow OctoTerra panels to condition in the environment where they will be installed for a minimum of 72 hours.

CUTTING

OctoTerra is supplied either with a mesh backing or on a plywood substrate (see accompanying chart). Mesh backed panels can be cut with a sharp knife if the cut is in between individual pieces. Otherwise both the mesh and plywood backed panels can be cut on a table saw using an 80 tooth triple chip saw blade. Note that a strip of wood should be placed over the OctoTerra surface during cutting to hold the individual chips firmly in place.

INSTALLATION

OctoTerra mesh backed panels can be installed using standard panel adhesives onto drywall or a wood substrate. Plywood backed panels can be applied to drywall or wood substrates using panel adhesives and screws or nails, or can be applied directly to studs or furring strips.

FINISHING

OctoTerra OTM series panels are supplied with a lacquer finish. The surface can be coloured to suit an individual design concept. Check with your fabricator for details. OTP series panels without the resin filler are supplied unfinished, and it is recommended that a lacquer or sealer be applied.

LEED INFORMATION

OctoTerra panels can help contribute to LEED points in the following categories

- MR4.1/4.2 Recycled Content
- MR6 Rapidly Renewable Materials
- Credit 4.1 Low Emitting Materials – Adhesives and Sealants
- Credit 4.2 Low Emitting Materials – Composite Materials and Adhesives
- Credit 5.1 Regional Materials – 20% Manufactured Regionally

For complete technical and environmental information please visit our website.



SPECIFICATIONS

MODEL	SHEET SIZE	CHIP SIZE	FINISH	BACKING
OTM01	24" x 24"	20 x 40mm	SMOOTH	MESH
OTM02	24" x 24"	10 x 20mm	NATURAL	MESH
OTM03	24" x 24"	20 x 20mm	NATURAL	MESH
OTM04	24" x 24"	20 x 40mm	NATURAL	MESH
OTM05	24" x 24"	20 x 40mm	NATURAL	MESH
OTM06	24" x 24"	25 x 25mm	NATURAL	MESH
OTM07	24" x 24"	20 x 20mm	SMOOTH	MESH
OTP21	47 1/4" x 47 1/4"	2 x .3mm	SMOOTH/RESIN FILL	PLYWOOD
OTP22	47 1/4" x 47 1/4"	2 x .3mm	SMOOTH/RESIN FILL	PLYWOOD
OTP23	47 1/4" x 47 1/4"	5 x .3mm	SMOOTH/RESIN FILL	PLYWOOD
OTP24	47 1/4" x 47 1/4"	5 x .3mm	NATURAL	PLYWOOD
OTP25	47 1/4" x 47 1/4"	RANDOM	NATURAL	PLYWOOD
OTP26	47 1/4" x 47 1/4"	RANDOM	SMOOTH/RESIN FILL	PLYWOOD

www.octopusproducts.com



OCTOPUS PRODUCTS LIMITED
 23 Gurney Crescent, Toronto, Ontario M6B 1S9
 Tel: 416-531-5051 Toll Free: 1-877-OCTOLAM
 Fax: 416-531-3254
 e-mail: sales@octopusproducts.com

1697, rue Fleetwood, Laval, Qc., H7N 4B2
 Tel: 514-861-5367
 Sans Frais: 1-866-757-1010
 Fax: 450-662-7171
 Site Internet: www.octopusproducts.com
 Courriel: octopusmtl@qc.aira.com



OCTOPUS








APPLICATIONS

- CEILING ELEMENTS
- WALL PANNELLING
- FLOORS
- FURNITURE COMPONENTS
- DISPLAYS
- SPAS
- HAIR SALONS
- RETAIL
- HOSPITALITY



NATURAL DECORATIVE PANELS


OCTOTERRA HANDMADE DECORATIVE PANELS INCORPORATE RAPIDLY RENEWABLE MATERIALS



SPECIFICATIONS

MODEL	MATERIAL	SHEET SIZE	CHIP SIZE	BACKING
OTM10	CUMARU SAPWOOD	12" x 12"	3/4" x 3/4"	MESH
OTM11	CUMARU SAPWOOD	12" x 16"	3/4" WIDE	MESH
OTM12	CUMARU SAPWOOD	12" x 12"	2" x 2"	MESH
OTM13	CUMARU SAPWOOD	12" x 12"	VARIOUS	MESH
OTP27	GALVANIZED METAL	24" x 96"	1 1/2" WIDE	MDF
OTP28	NATURAL OAK	24" x 96"	4" WIDE	MDF
OTP29	NATURAL OAK	24" x 96"	1 1/2" WIDE	MDF
OTP30	NATURAL OAK	24" x 96"	1 1/2" WIDE	MDF
OTP31	BRASS	24" x 96"	1 1/2" WIDE	
OTP33	BURNISHED	24" x 96"	1 1/2" WIDE	
OTP34	OLD OAK	24" x 96"	1 1/2" WIDE	
OTP35	BURNED WOOD	24" x 96"	3" WIDE	

CUSTOM DESIGNS ARE AVAILABLE - PLEASE CONSULT YOUR REPRESENTATIVE



OctoTerra MDF backed panels have staggered ends so that sheets fit together invisibly.

Please view our website for new designs not contained in this brochure



OCTOPUS PRODUCTS LIMITED

TORONTO
 23 Gurney Crescent
 Toronto, Ontario M6B 1S9
 Tel: 416-531-5051
 Toll Free: 1-877-OCTOLAM
 Fax: 416-531-3254
 sales@octopusproducts.com

MONTREAL
 3354 Le Corbusier
 Laval, QC. H7L 4S8
 Tel: 514-861-5367
 Sans Frais: 1-866-757-1010
 Fax: 450-662-7171
 montreal@octopusproducts.com

LOS ANGELES
 Toll Free: 1-844-628-6526
 info@octopusproducts.com

NEW YORK
 Tel: 646-856-0655
 infony@octopusproducts.com

DALLAS
 Tel: 214-608-9721
 infotx@octopusdproducts.com

www.octopusproducts.com



NATURAL DECORATIVE PANELS
DESIGNING SPACES WITH STYLE

OCTOPUS TERRAZZO



OTM10



OTP27



OTP31




OTM11



OTP28



OTP33



OTM12



OTP29



OTP34




OTM13



OTP30



OTP35



OCTOTERRA FABRICATION GUIDE

OctoTerra is a handmade decorative paneling product made from Cumaru Sapwood, a native Chinese hardwood, oak and galvanized metal. Due to the unique nature of this product, we cannot guarantee exact matching from panel to panel.

CONDITIONING

Allow **OctoTerra** panels to condition in the environment where they will be installed for a minimum of 72 hours.

CUTTING

OctoTerra is supplied either with a mesh backing or on a MDF substrate (see accompanying chart). Mesh backed panels can be cut with a sharp knife if the cut is in between individual pieces. Otherwise both the mesh and MDF backed panels can be cut on a table saw using an 80 tooth triple chip saw blade. Note that a strip of wood should be placed over the **OctoTerra** surface during cutting to hold the individual chips firmly in place.

INSTALLATION

OctoTerra mesh backed panels can be installed using standard panel adhesives onto drywall or a wood substrate. MDF backed panels can be applied to drywall or wood substrates using panel adhesives and screws or nails, or can be applied directly to studs or furring strips. Panels can also be wall hung using standard "Z" clip mounting systems.

FINISHING

OctoTerra OTM series designs are delivered with a factory applied finish. OTM series designs can be used outdoor, however, a protective finish needs to be applied to protect the wood. **OctoTerra** OTP27 is delivered with a protective finish so the metal will not change colour. **OctoTerra** OTP28/29/30 is made from natural oak, and must be finished. This series of designs can be stained.

LEED INFORMATION

OctoTerra panels can help contribute to LEED points in the following categories
MR4.1/4.2 Recycled Content
MR6 Rapidly Renewable Materials
Credit 4.1 Low Emitting Materials – Adhesives and Sealants
Credit 4.2 Low Emitting Materials – Composite Materials & Adhesives
Credit 5.1 Regional Materials – 20% Manufactured Regionally

OCTOTERRA FABRICATION GUIDE

OctoTerra is a handmade decorative paneling product made from oak, galvanized metal and real copper. Due to the unique nature of this product, we cannot guarantee exact matching from panel to panel.

CONDITIONING

Allow **OctoTerra** panels to condition in the environment where they will be installed for a minimum of 72 hours.

CUTTING

OctoTerra is supplied either with a fabric backing or on a MDF substrate (see accompanying chart). Fabric backed panels can be cut with a sharp knife if the cut is in between individual pieces. Otherwise both the fabric and MDF backed panels can be cut on a table saw using an 80 tooth triple chip saw blade.

INSTALLATION

OctoTerra fabric backed panels can be installed using standard panel adhesives onto drywall or a wood substrate. MDF backed panels can be applied to drywall or wood substrates using panel adhesives and screws or nails, or can be applied directly to studs or furring strips. Panels can also be wall hung using standard "Z" clip mounting systems.

FINISHING

OctoTerra OTM series designs are delivered with a factory applied finish (OTM 14/16/18/20/21). OTM 15/17/19/22 are natural white oak, and can be stained and finished to the customers specifications by the installing contractor. OTP36 is made from walnut veneer and must be sealed and finished. OTM series designs can be used outdoors in protected areas, however, a protective finish needs to be applied. **OctoTerra** OTP37-39 are supplied with a protective finish so the metal will not change colour. Note that OTP39 is made from real copper and green oxidation accents are possible.

SPECIFICATIONS


MODEL	MATERIAL	SHEET SIZE	CHIP SIZE	BACKING
OTM14	LANTANA 3.2	24 x 48"	1½ x 4½"	FABRIC
OTM15	LANTANA WHITE OAK	24 x 48"	1½ x 4½"	FABRIC
OTM16	ERICA 2.2	24 x 48"	2 x 6 ¾"	FABRIC
OTM17	ERICA WHITE OAK	24 x 48"	2 x 6 ¾"	FABRIC
OTM18	CLOVER 3.2	24 x 48"	3 ¾ x 3 ¾"	FABRIC
OTM19	CLOVER WHITE OAK	24 x 48"	3 ¾ x 3 ¾"	FABRIC
OTM20	GARDENIA 2.0	24 x 48"	2 ½ x 2 ½"	FABRIC
OTM21	GARDENIA 2.2	24 x 48"	2 ½ x 2 ½"	FABRIC
OTM22	GARDENIA WHITE OAK	24 x 48"	2 ½ x 2 ½"	FABRIC
OTP36	WALNUT WAVE	24 x 96"	1 ½ x 4"	MDF
OTP37	ZINC TRIANGLES	24 x 96"	3 ¼ x 6 ¼"	MDF
OTP38	ZINC PYRAMID	24 x 96"	3 ¼ x 3 ¼"	MDF
OTP39	COPPER TRIANGLES	24 x 96"	3 ¼ x 6 ¼"	MDF

Custom designs are available - please consult your representative


OTP38 ZINC PYRAMID



OTP36 WALNUT WAVE



OTP39 COPPER TRIANGLES



OTP37 ZINC TRIANGLES



Please view our website for new designs not contained in this brochure



OCTOPUS

OCTOPUS PRODUCTS LIMITED

TORONTO
23 Gurney Crescent
Toronto, Ontario M6B 1S9
Tel: 416-531-5051
Toll Free: 1-877-OCTOLAM
Fax: 416-531-3254
sales@octopusproducts.com

MONTREAL
3354 Le Corbusier
Laval, QC. H7L 4S8
Tel: 514-861-5367
Sans Frais: 1-866-757-1010
Fax: 450-662-7171
montreal@octopusproducts.com

LOS ANGELES
Toll Free: 1-844-628-6526
info@octopusproducts.com

NEW YORK
Tel: 646-856-0655
infony@octopusproducts.com

DALLAS
Tel: 214-608-9721
infofx@octopusdproducts.com

www.octopusproducts.com

NATURAL DECORATIVE PANELS

DESIGNING SPACES WITH STYLE




OCTOPUS

OCTOPUS PRODUCTS LIMITED

www.octopusproducts.com

OCTOPUS




OTM14 LANTANA 3.2




OTM18 CLOVER 3.2



OCTOTERRA OTM19
CLOVER WHITE OAK




OTM15 LANTANA
WHITE OAK



OTM20 GARDENIA 2.0




OTM16 ERICA 2.2



OTM21 GARDENIA 2.2

OTM17 ERICA
WHITE OAK



OTM22 GARDENIA
WHITE OAK

